EXECUTIVE SUMMARY - ENFORCEMENT MATTER

Page 1 of 2

DOCKET NO.: 2008-0253-MWD-E **TCEQ ID:** RN101513687 **CASE NO.:** 35367

RESPONDENT NAME: Harris County Municipal Utility District 250

				
ORDER TYPE:				
X 1660 AGREED ORDER	FINDINGS AGREED ORDER	FINDINGS ORDER FOLLOWING SOAH HEARING		
FINDINGS DEFAULT ORDER	_SHUTDOWN ORDER	IMMINENT AND SUBSTANTIAL ENDANGERMENT ORDER		
_AMENDED ORDER	_EMERGENCY ORDER			
CASE TYPE:		44		
AIR	MULTI-MEDIA (check all that apply)	INDUSTRIAL AND HAZARDOUS WASTE		
PUBLIC WATER SUPPLY	PETROLEUM STORAGE TANKS	OCCUPATIONAL CERTIFICATION		
X WATER QUALITY	SEWAGE SLUDGE	UNDERGROUND INJECTION CONTROL		
MUNICIPAL SOLID WASTE	RADIOACTIVE WASTE	DRY CLEANER REGISTRATION		
SITE WHERE VIOLATION(S) OCCURRED: Harris County MUD 250 Wastewater Treatment Plant, located at 6690 Huffmeister Road, Houston, Harris County TYPE OF OPERATION: Wastewater treatment facility SMALL BUSINESS: YesX No OTHER SIGNIFICANT MATTERS: There are no complaints. There is no record of additional pending enforcement actions regarding this facility location. INTERESTED PARTIES: No one other than the ED and the Respondent has expressed an interest in this matter. COMMENTS RECEIVED: The Texas Register comment period expired on June 16, 2008. No comments were received. CONTACTS AND MAILING LIST: TCEQ Attorney/SEP Coordinator: None TCEQ Enforcement Coordinator: Ms. Heather Brister, Enforcement Division, Enforcement Team 1, MC R-09, (254) 761-3034; Mr. Bryan Sinclair, Enforcement Division, MC 219, (512) 239-2171 Respondent: Mr. Keith Bordelon, President, Harris County Municipal Utility District 250, 600 Jefferson Street Suite 780, Houston, Texas 77002 Respondent's Attorney: Mr. John R. Wallace, Bacon & Wallace, L.L.P., Attorney's at Law, 600 Jefferson Street, Suite 780, Houston, Texas 77002				

DOCKET NO.: 2008-0253-MWD-E

VIOLATION SUMMARY CHART: VIOLATION INFORMATION CORRECTIVE ACTIONS PENALTY CONSIDERATIONS TAKEN/REQUIRED: A model Type of Investigation: Total Assessed: \$11,160 **Corrective Actions Taken:** Complaint X Routine Total Deferred: \$2,232 The Executive Director recognizes that the Enforcement Follow-up Respondent submitted an administratively X Expedited Settlement Records Review complete permit application on May 30, 2007, and was issued a new permit on Financial Inability to Pay Date(s) of Complaints Relating to this January 15, 2008. Case: None **SEP Conditional Offset: \$0** Date of Investigation Relating to this Total Paid (Due) to General Revenue: \$8,928 Case: September 21, 2007 **Site Compliance History Classification** Date of NOV/NOE Relating to this Case: __ High X Average Poor October 17, 2007 (NOE) **Person Compliance History Classification** Background Facts: This was a routine X Average Poor __ High investigation. Major Source: ___ Yes _X No WATER Applicable Penalty Policy: September 2002 Failure to maintain authorization for the discharge of wastewater. Specifically, the Respondent did not renew Texas Pollutant Discharge Elimination System ("TPDES") Permit No. 12685001, which expired on May 1, 2007, and continued to discharge wastewater from the Facility without authorization [Tex. WATER CODE § 26.121(a) and 30 Tex. ADMIN. CODE §§ 305.65 and 305.125(2)].

Additional ID No(s).: WQ0012685001

Policy Revision 2 (Sep	Penalty Calculatio	n Worksheet (P	•	January 29, 2008
ICEQ	22 lon 2000 10 1951 17 1001, 10 1001 10			
DATES Assigned PCW	22-Jan-2008	EPA Due		
RESPONDENT/FACILITY	INFORMATION			
Respondent	Harris County Municipal Utility District 250	A STATE OF THE STA		
Reg. Ent. Ref. No. Facility/Site Region		Major/Minor Source	Minor	
CASE INFORMATION Enf./Case ID No.	35367	No. of Violations	1	
Docket No.	2008-0253-MWD-E	Order Type	1660	
Media Program(s) Multi-Media	Water Quality	Enf. Coordinator	Heather Brister Enforcement Team 1	
Admin. Penalty \$ I	Limit Minimum \$0 Maximum	\$10,000	Emoreoment ream :	
	Penalty Calcula	ation Section		
TOTAL BASE PENAL	TY (Sum of violation base penaltie	William C. Commission Commission Assessment Assess	Subtotal 1	\$9,000
		•		Backgerson enga
ADJUSTMENTS (+/-) Subtotals 2-7 are obtain	ned by multiplying the Total Base Penalty (Subtotal 1) by			
Compliance Hist	ory 34%	Enhancement Subt	otals 2, 3, & 7	\$3,060
	The penalty is enhanced because the Resp			
Notes	of Violations (NOVs) for violations that are reported five effluent violations, and was is:		•	
	liability language			· ·
Culpability	No 0%	Enhancement	Subtotal 4	\$0
Notes	The Respondent does not meet the	e culpability criteria.		
Good Faith Effor	t to Comply 10%	Reduction	Subtotal 5	\$900
Good Faith Life	Before NOV NOV to EDPRP/Settlement Offer	Reduction	Subtotal 0	Ψ300
Extraordinary				
Ordinary N/A	X (mark with x)			
Notes	The Respondent was issued a new perr	mit on January 15, 2008.		
710.00				
	The Control of Control of the Contro	Enhancement*	Subtotal 6	\$0
Approx.	Total EB Amounts \$43 *Capped Cost of Compliance \$1,200	d at the Total EB \$ Amount		
SUM OF SUBTOTAL	6.44 4 773 888 9118 9138 9138 9138 9138 9138 9138		inal Subtotal	\$11,160
SUM OF SUBTOTAL			-mar Subtotal	Ψ11,100
	S JUSTICE MAY REQUIRE	0%	Adjustment	\$0
Reduces or enhances the Final S	subtotal by the indicated percentage.		1	
Notes				
		Final Po	nalty Amount	\$11,160
		ı mai i. G	manty Amount	
STATUTORY LIMIT A	ADJUSTMENT	Final Asse	essed Penalty	\$11,160
DEFERRAL		20% Reduction	Adjustment	-\$2,232
	nalty by the indicted percentage. <i>(Enter number only</i> ; e. <u>c</u>		1	+-,
Notes	Deferral offered for expedite	d settlement		
inutes	Deterral offered for expedite	a semement	,	
			- 	A
PAYABLE PENALTY				\$8,928

Screening Date 7-Feb-2008

Docket No. 2008-0253-MWD-E

PCW

Respondent Harris County Municipal Utility District 250

Case ID No. 35367

Policy Revision 2 (September 2002) PCW Revision January 29, 2008

Reg. Ent. Reference No. RN101513687

Media [Statute] Water Quality

iance History Component	/ Site Enhancement (Subtotal 2) Number of	1	Enter Number Here	Adjust.
NOVs	Written NOVs with same or similar violations as those in the current enforceme (number of NOVs meeting criteria)		0	0%
	Other written NOVs		7	14%
	Any agreed final enforcement orders containing a denial of liability (number meeting criteria)	of orders	1	20%
Orders	Any adjudicated final enforcement orders, agreed final enforcement orders without of liability, or default orders of this state or the federal government, or any final pemergency orders issued by the commission			0%
of this state or the federal government (number of judgements or consent decrees meeting Judgments criteria)		777 32373 331 0	0%	
and Consent Decrees	Any adjudicated final court judgments and default judgments, or non-adjudicated judgments or consent decrees without a denial of liability, of this state or the government			0%
Convictions	Any criminal convictions of this state or the federal government (number of counts)	. 0	0%
Emissions	Chronic excessive emissions events (number of events)		(C) 1 (O) 1 (C)	0%
Audits	Letters notifying the executive director of an intended audit conducted under the Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (raudits for which notices were submitted)			0%
	Disclosures of violations under the Texas Environmental, Health, and Safety Audi Act, 74th Legislature, 1995 (number of audits for which violations were disclosed)	t Privilege	0.00	0%
		Plea	se Enter Yes or No	1919
	Environmental management systems in place for one year or more		No	0%
Other	Voluntary on-site compliance assessments conducted by the executive directo special assistance program	r under a	No	0%
Ou.O	Participation in a voluntary pollution reduction program		No.:	0%
	Early compliance with, or offer of a product that meets future state or federal go environmental requirements	vernment	No	0%
	Adjus	stment P	ercentage (Si	ubtotal 2)
t Violator (Su	btotal 3)			
No	Adjus	stment P	ercentage (Sı	ubtotal 3)
liance History	Person Classification (Subtotal 7)			
Average Pe	erformer Adjus	stment P	ercentage (Si	ubtotal 7)
liance History	Summary			
Compliance History Notes	The penalty is enhanced because the Respondent received two Notices of Violatic that are not the same or similar, self-reported five effluent violations, and was issufficiently language.			·

Screening Date		The state of the s	D. 2008-0253-MWD-E	PCW
		nicipal Utility District 250	Policy	Revision 2 (September 2002)
Case ID No			PC	W Revision January 29, 2008
Reg. Ent. Reference No				
Media [Statute Enf. Coordinato		•		
Em. Coordinato Violation Numbe		•		
	ļ'			1
Rule Cite(s	Tex. Water Cod	le § 26.121(a) and 30 Tex. Admin.	. Code §§ 305.65 and 305.125(2)	
Violation Descriptio	Respondent did i	ain authorization for the discharge not renew Texas Pollutant Discha 85001, which expired on May 1, 2 wastewater from the Facility witho	rge Elimination System ("TPDES") 2007, and continued to discharge	
			Base Penalt	y \$10,000
>> Environmental, Property	and Human Hea	ilth Matrix		***************************************
-> Environmental, Property		Harm		
Releas		oderate Minor		
OR Actua Potentia			Percent 0%	*
Fotentia	"		reicent 0/6	
>>Programmatic Matrix				
Falsification		oderate Minor		
	X		Percent 10%	
				1
Matrix Notes	100	0% of the rule requirement was no	ot met.	
			Adjustment \$9,00	0
			•	\$1,000
		,		+ 1,555
Violation Events				,
Number of V	iolation Events	9 259	Number of violation days	
	daily			
mark only one	monthly quarterly	_X	Violation Base Penalt	\$9,000
mark only one with an x	semiannual		Violation Base i chait	,
	annual			
	single event			
Nine month		nended from the date the TPDES late of compliance (January 15, 20	permit expired (May 1, 2007) to th	9
			表表表的 2002 2014 ENDERFORM 2015 - 1915 - 1916 - 1916 - 1916 - 1916 - 1916 - 1916 - 1916 - 1916 - 1916 - 1916 - 1	
Economic Benefit (EB) for t	his violation		Statutory Limit Test	
Estimate	ed EB Amount	\$43	Violation Final Penalty Tota	ıl\$11,160
		This violation Final Acce	ssed Penalty (adjusted for limits	\$11,160
		i ilis violation rinai ASSE	sseu renaity (aujusteu ioi limits	<u>J</u> \$11,100

Rea, Ent. Reference No.	. 35367 . RN101513687					in Albania	
37	Water Quality		entroconnection and a second and a second		Maria de M	Percent Interest	Years of Depreciation
						5.0	18
	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Onetime Costs	EB Amount
Item Description	No commas or \$						
					1000		#5000000000000000000000000000000000000
Delayed Costs		1 1		1	- 40	I +- I	
Equipment		Cyta de La como de la		0,0	\$0	\$0	\$0
Buildings			318 (2 B 32 (1)) 1 (B	0.0	\$0	\$0 \$0	\$0
Other (as needed)	74, 58 (44.0)		gorbaria de la composición del composición de la composición de la composición del composición de la composición del	0.0	\$0 \$0	\$0	\$0 \$0
Engineering/construction	gut 11 (100g) (100 (100 (100 (100 (100 (100 (100 (10	100000000000000000000000000000000000000		0.0	\$0 \$0	n/a	\$0 \$0
Land Record Keeping System	200		(PRODUCTION COLUMN TO THE COLU	0.0	\$0 \$0	n/a	\$0 \$0
Training/Sampling	*****		, , , , , , , , , , , , , , , , , , , 	0.0	\$0 \$0	n/a	\$0 \$0
Remediation/Disposal			ng and in the new temperature to the	0.0	\$0	n/a	\$0 \$0
Permit Costs	\$1,200	1-May-2007	15-Jan-2008	0.7	\$43	n/a	\$43
Other (as needed)	φ1,200	1-14/ay-2007	10-0411-2000	0.0	\$0	n/a	\$0
Notes for DELAYED costs			พิลเกต์ ************************************	50066500 300	400 A	s the date of complia ভঃভাননা one-time avoided c	
Avoided Costs				0.0	\$0	\$0	\$0
Avoided Costs	·	0003	. 11 (2003)	11000000	Lancia de Porto de Caracteria	The state of the s	
	·		.11	0.0	\$0	\$0	\$0
Disposal : ,	·		<u>. 16 16 16 17.</u>			\$0 \$0	
Disposal : , Personnel	·			0.0 0.0 0.0	\$0 \$0 \$0	\$0 \$0	\$0 \$0 \$0
Disposal : / Personnel Inspection/Reporting/Sampling	·		Harris Control of the	0.0 0.0 0.0 0.0	\$0 \$0 \$0 \$0	\$0 \$0 * \$0	\$0 \$0 \$0 \$0
Disposal Personnel Inspection/Reporting/Sampling Supplies/equipment Financial Assurance [2] ONE-TIME avoided costs [3]	·		He to the second of the second	0.0 0.0 0.0 0.0 0.0	\$0 \$0 \$0 \$0 \$0	\$0 \$0 \$0 \$0	\$0 \$0 \$0 \$0 \$0 \$0
Disposal Personnel Inspection/Reporting/Sampling Supplies/equipment Financial Assurance [2]	·		H. Constant Property of the Constant Property	0.0 0.0 0.0 0.0	\$0 \$0 \$0 \$0	\$0 \$0 * \$0	\$0 \$0 \$0 \$0

Compliance History

Customer/Respondent/Owner-Operator:

CN600738579

Harris County Municipal Utility District 250 Classification: AVERAGE Rating: 3.98

Regulated Entity:

RN101513687

HARRIS COUNTY MUD 250 WWTF

Classification: AVERAGE Site Rating: 3.98

ID Number(s):

WASTEWATER

PERMIT

TPDES0093581

Rating Date: 9/1/2007

WASTEWATER WASTEWATER PERMIT **PERMIT** TX0093581 WQ0014811

Repeat Violator: NO

Location:

Located at 6690 Huffmeister Road, Houston in Harris County, Texas.

TCEQ Region:

REGION 12 - HOUSTON

Date Compliance History Prepared:

February 07, 2008

Agency Decision Requiring Compliance History:

Enforcement

Compliance Period:

February 07, 2003 to February 07, 2008

TCEQ Staff Member to Contact for Additional Information Regarding this Compliance History

Name:

Heather Brister

Phone:

254-761-3048

Site Compliance History Components

1. Has the site been in existence and/or operation for the full five year compliance period?

Yes

2. Has there been a (known) change in ownership of the site during the compliance period?

Nο

3. If Yes, who is the current owner?

N/A

4. if Yes, who was/were the prior owner(s)?

N/A

5. When did the change(s) in ownership occur?

N/A

Components (Multimedia) for the Site:

Final Enforcement Orders, court judgements, and consent decrees of the state of Texas and the federal government.

Effective Date: 04/25/2003

ADMINORDER 2002-0813-MWD-E

Classification: Moderate

Citation:

30 TAC Chapter 305, SubChapter F 305.125(1)

30 TAC Chapter 305, SubChapter F 305.125(4)

TWC Chapter 26 26.121

Rgmt Prov: Reg 1 PERMIT

Description: Failure to maintain effluent permit limits. Exceedences in May and June 2001.

Classification: Moderate

Citation:

30 TAC Chapter 305, SubChapter F 305.125(1)

30 TAC Chapter 305, SubChapter F 305.125(5)

Rqmt Prov: OR 1 PERMIT

Description: Failure to adequately maintain the WWTF with regards to clarifier, chlorine contact chamber, and

leak in back flow prevention device.

Classification: Moderate

Citation:

30 TAC Chapter 305, SubChapter F 305.125(1)

30 TAC Chapter 305, SubChapter F 305.125(5)

30 TAC Chapter 319, SubChapter A 319.11(c)

Rgmt Prov: M&R 5 PERMIT

Description: Failure to mount the staff gauge at the correct location to ensure an accurate flow measurement.

Classification: Moderate

Citation:

30 TAC Chapter 305, SubChapter F 305.125(1)

30 TAC Chapter 305, SubChapter F 305.126(a)

Rgmt Prov: OR 8a PERMIT

Description: Failure to meet the permit provision of the 75/90 rule for July - Nov 2000 and for Mar - Sept 2001.

Classification: Minor

30 TAC Chapter 317 317.7(e)

Description: Failure to post warning signs on the fence surrounding the Facility.

Any criminal convictions of the state of Texas and the federal government. B.

N/A N/A

Classification:

Moderate

C. Chronic excessive emissions events.

The approval dates of investigations. (CCEDS Inv. Track. No.) D.

1 11/20/2002 (215398)2 12/20/2002 (215401)3 01/21/2003 (215405)4 02/20/2003 (215368)5 03/21/2003 (215371)6 04/18/2003 (215376)(319483)7 05/20/2003 (285782) 8 06/17/2003 (319484)9 06/23/2003 10 07/21/2003 (319486)11 08/20/2003 (319487)12 09/19/2003 (319488)13 10/17/2003 (319490)14 12/05/2003 (319491)15 12/22/2003 (319492)16 01/20/2004 (319493)17 02/20/2004 (319481)18 03/19/2004 (319482)19 04/20/2004 (362393)20 05/20/2004 (362394)(267783)21 06/02/2004 22 06/21/2004 (319485)(362395)23 07/20/2004 24 08/27/2004 (362396)25 09/20/2004 (362397)26 .09/21/2004 (293334)27 10/22/2004 (425386)28 11/22/2004 (387696)(387697)29 12/20/2004 30 01/20/2005 (387698)31 02/09/2005 (387695)32 03/11/2005 (349620)33 04/20/2005 (425383)(425384)34 05/19/2005 (394659)35 06/07/2005 36 06/23/2005 (425385)37 07/20/2005 (445960)38 09/06/2005 (445961)39 09/20/2005 (445962)40 10/19/2005 (478002)41 11/17/2005 (478003)42 12/20/2005 (478004)43 01/20/2006 (478005)44 02/21/2006 (478000)(478001)45 03/20/2006 46 04/20/2006 (504395)47 05/24/2006 (504396)48 06/20/2006 (504397)(483507)49 07/13/2006 50 07/28/2006 (526718)51 08/21/2006 (526719)52 09/29/2006 (526720)53 10/17/2007 (596196)

Written notices of violations (NOV). (CCEDS Inv. Track. No.) E.

> 11/30/2003 (319492)Date:

Self Report? YES

Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)

TWC Chapter 26 26.121(a)

Failure to meet the limit for one or more permit parameter Description:

Date:

02/29/2004

(319482)

Self Report? Citation:

YES

30 TAC Chapter 305, SubChapter F 305.125(1)

TWC Chapter 26 26.121(a)

Description:

Failure to meet the limit for one or more permit parameter

Date:

06/02/2004

(267783)

Self Report?

30 TAC Chapter 317 317.7(e)

Citation: Description:

Failure to provide an all weather access road.

07/31/2004 Date: Self Report?

YES

(362396)

30 TAC Chapter 305, SubChapter F 305.125(1)

Classification:

Classification:

Classification:

Classification:

Classification:

Moderate

Moderate

Minor

Minor

Moderate

Citation:

TWC Chapter 26 26.121(a)

Description:

Failure to meet the limit for one or more permit parameter

Date:

08/31/2004

(362397)

Self Report? Citation:

YES

(349620)

30 TAC Chapter 305, SubChapter F 305.125(1)

TWC Chapter 26 26.121(a)

Description:

Failure to meet the limit for one or more permit parameter

03/11/2005 Date:

NO

Self Report? Citation:

30 TAC Chapter 305, SubChapter F 305.125(5)

Description:

Failure to provide an all-weather access road to the wastewater treatment plant.

Self Report?

NO

Classification:

Classification:

Moderate

Moderate

Citation: Description:

30 TAC Chapter 305, SubChapter F 305.125(1) Failure to ensure flow measurement accuracy.

Date:

06/30/2006

(526718)

Self Report?

YES

30 TAC Chapter 305, SubChapter F 305.125(1)

Citation:

TWC Chapter 26 26.121(a)

Description:

Failure to meet the limit for one or more permit parameter

Environmental audits.

N/A

Type of environmental management systems (EMSs). G.

N/A N/A

Voluntary on-site compliance assessment dates. Н.

N/A

Participation in a voluntary pollution reduction program.

N/A

Early compliance. J.

Sites Outside of Texas N/A

·

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



IN THE MATTER OF AN	§	BEFORE THE
ENFORCEMENT ACTION	§	
CONCERNING	§	TEXAS COMMISSION ON
HARRIS COUNTY MUNICIPAL	§	
UTILITY DISTRICT 250	§	ENVIRONMENTAL QUALITY
RN101513687	§	_

AGREED ORDER DOCKET NO. 2008-0253-MWD-E

I. JURISDICTION AND STIPULATIONS

At its ______ agenda, the Texas Commission on Environmental Quality ("the Commission" or "TCEQ") considered this agreement of the parties, resolving an enforcement action regarding Harris County Municipal Utility District 250 ("the Respondent") under the authority of TEX. WATER CODE chs. 7 and 26. The Executive Director of the TCEQ, through the Enforcement Division, and the Respondent, represented by Mr. John R. Wallace, of the law firm Bacon & Wallace, L.L.P. Attorneys at Law, appear before the Commission and together stipulate that:

- 1. The Respondent owns and operates a wastewater treatment facility located at 6690 Huffmeister Road in Houston, Harris County, Texas (the "Facility").
- 2. The Respondent has caused, suffered, allowed or permitted the discharge of any waste or the performance of any activity in violation of TEX. WATER CODE ch. 26 or any rule, permit, or order of the Commission.
- 3. The Commission and the Respondent agree that the Commission has jurisdiction to enter this Agreed Order, and that the Respondent is subject to the Commission's jurisdiction.
- 4. The Respondent received notice of the violations alleged in Section II ("Allegations") on or about October 22, 2007.
- 5. The occurrence of any violation is in dispute and the entry of this Agreed Order shall not constitute an admission by the Respondent of any violation alleged in Section II ("Allegations"), nor of any statute or rule.

- 6. An administrative penalty in the amount of Eleven Thousand One Hundred Sixty Dollars (\$11,160) is assessed by the Commission in settlement of the violations alleged in Section II ("Allegations"). The Respondent has paid Eight Thousand Nine Hundred Twenty-Eight Dollars (\$8,928) of the administrative penalty and Two Thousand Two Hundred Thirty-Two Dollars (\$2,232) is deferred contingent upon the Respondent's timely and satisfactory compliance with all the terms of this Agreed Order. The deferred amount will be waived upon full compliance with the terms of this Agreed Order. If the Respondent fails to timely and satisfactorily comply with all requirements of this Agreed Order, the Executive Director may require the Respondent to pay all or part of the deferred penalty.
- 7. Any notice and procedures, which might otherwise be authorized or required in this action, are waived in the interest of a more timely resolution of the matter.
- 8. The Executive Director of the TCEQ and the Respondent have agreed on a settlement of the matters alleged in this enforcement action, subject to the approval of the Commission.
- 9. The Executive Director recognizes that the Respondent submitted an administratively complete permit application on May 30, 2007, and was issued a new permit on January 15, 2008.
- 10. The Executive Director may, without further notice or hearing, refer this matter to the Office of the Attorney General of the State of Texas ("OAG") for further enforcement proceedings if the Executive Director determines that the Respondent has not complied with one or more of the terms or conditions in this Agreed Order.
- 11. This Agreed Order shall terminate five years from its effective date or upon compliance with all the terms and conditions set forth in this Agreed Order, whichever is later.
- 12. The provisions of this Agreed Order are deemed severable and, if a court of competent jurisdiction or other appropriate authority deems any provision of this Agreed Order unenforceable, the remaining provisions shall be valid and enforceable.

II: ALLEGATIONS

As owner and operator of the Facility, the Respondent is alleged to have failed to maintain authorization for the discharge of wastewater, in violation of TEX. WATER CODE § 26.121(a) and 30 TEX. ADMIN. CODE §§ 305.65 and 305.125(2), as documented during an investigation conducted on September 21, 2007. Specifically, the Respondent did not renew Texas Pollutant Discharge Elimination System ("TPDES") Permit No. 12685001, which expired on May 1, 2007, and continued to discharge wastewater from the Facility without authorization.

III. DENIALS

The Respondent generally denies each allegation in Section II ("Allegations").

IV. ORDERING PROVISIONS

1. It is, therefore, ordered by the TCEQ that the Respondent pay an administrative penalty as set forth in Section I, Paragraph 6 above. The payment of this administrative penalty and the Respondent's compliance with all the terms and conditions set forth in this Agreed Order resolve only the allegations in Section II. The Commission shall not be constrained in any manner from requiring corrective action or penalties for violations, which are not raised here. Administrative penalty payments shall be made payable to "TCEQ" and shall be sent with the notation "Re: Harris County Municipal Utility District 250, Docket No. 2008-0253-MWD-E" to:

Financial Administration Division, Revenues Section Attention: Cashier's Office, MC 214 Texas Commission on Environmental Quality P.O. Box 13088 Austin, Texas 78711-3088

- 2. The provisions of this Agreed Order shall apply to and be binding upon the Respondent. The Respondent is ordered to give notice of the Agreed Order to personnel who maintain day-to-day control over the Facility operations referenced in this Agreed Order.
- 3. This Agreed Order, issued by the Commission, shall not be admissible against the Respondent in a civil proceeding, unless the proceeding is brought by the OAG to: (1) enforce the terms of this Agreed Order; or (2) pursue violations of a statute within the Commission's jurisdiction, or of a rule adopted or an order or permit issued by the Commission under such a statute.
- 4. This agreement may be executed in multiple counterparts, which together shall constitute a single original instrument. Any executed signature page to this Agreement may be transmitted by facsimile transmission to the other parties, which shall constitute an original signature for all purposes.
- 5. Under 30 TEX. ADMIN. CODE § 70.10(b), the effective date is the date of hand-delivery of the Order to the Respondent, or three days after the date on which the Commission mails notice of the Order to the Respondent, whichever is earlier. The Chief Clerk shall provide a copy of this Agreed Order to each of the parties.

.

the control of the co

 $\phi(x,y)$ is the section of $\phi(x,y)$. The section $\phi(x,y)$ is the section $\phi(x,y)$ in $\phi($

SIGNATURE PAGE

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

For the Commission	
For the Executive Director	Date
attached Agreed Order on behalf of the e	and the attached Agreed Order. I am authorized to agree to the entity indicated below my signature, and I do agree to the terms her acknowledge that the TCEQ, in accepting payment for the such representation.
 timely pay the penalty amount, may result A negative impact on compliance Greater scrutiny of any permit app Referral of this case to the Attorney fees, or Increased penalties in any future expension Automatic referral to the Attorney TCEQ seeking other relief as auth 	history; blications submitted; ney General's Office for contempt, injunctive relief, additional to a collection agency; enforcement actions; of General's Office of any future enforcement actions; and
Keith Bordelon Name (Printed or typed) Authorized Representative of Harris County Municipal Utility District 2	President Title

Instructions: Send the original, signed Agreed Order with penalty payment to the Financial Administration Division, Revenues Section at the address in Section IV, Paragraph 1 of this Agreed Order.